

Cmdlet-Referenz

- [Add-ELODoc](#) (Adds a new ELO document to the ELO repository)
- [Add-ELODocPreview](#) (Adds ELO document preview)
- [Add-ELODocVersion](#) (Adds a new ELO doc version)
- [Add-ELOFeedComment](#) (adds a new feed comment to the object specified)
- [Add-ELOFileElement](#) ()
- [Add-ELOLink](#) (Adds an ELO link between source and target id)
- [Add-ELONote](#) (Adds a new ELO note/annotation to the object)
- [Add-ELOReference](#) (Adds a new ELO reference)
- [Add-ELOWorkflowNode](#) (Adds a new workflow node to an existing workflow)
- [Build-ELOObjectScript](#) (Builds script for an existing ELO object)
- [Build-MAML](#) ()
- [Build-QRCodeImage](#) (Builds a QR code image)
- [Build-QRCodePayload](#) (Build a QR code payload)
- [Call-ELOASRule](#) (Call ELOAS rule synchronously/asynchronously)
- [Call-ELOFunction](#) (Calls an ELO function)
- [Change-LogPath](#) (Change logging path through modifying log4j.properties)
- [Cleanup-AccessManager](#) (Resets an AccessManager database to its initial configuration)
- [Cleanup-ELODocuments](#) (Invokes (final) deletion job for documents)
- [Close-ELOConnection](#) (Closes the ELO connection.)
- [Compress-ToZipFile](#) (Compresses multiple files to a ZIP file)
- [ConvertFrom-ELOACL](#) (Converts an ELO acl string to ACL items)
- [ConvertFrom-ELODate](#) (Converts an ELO date to a DateTime)
- [ConvertTo-ELOACL](#) (Converts ACE items to an ELO ACL)
- [ConvertTo-ELODate](#) (Converts a DateTime value into an ELO date)
- [ConvertTo-ELOjson](#) (Convert XML data to JSON)
- [Copy-ELOObject](#) (Modifies properties of an existing document version in ELO)
- [Create-ELOFolder](#) (Creates an ELO folder)
- [Create-ELOPath](#) (Creates an ELO archive path.)
- [Create-ELOScanDirs](#) (Create legacy scan dirs for replacing WindowsClient deprecated features)
- [Create-ELOSQLScripts](#) ()
- [Defer-ELOWorkflowNode](#) (Defers a workflow node)
- [Delete-ELOEmptyFolders](#) (Deletes empty or non empty ELO folders)
- [Expand-ELOZipFile](#) (Expands a zip file)
- [Export-ELODocMask](#) (Export a document mask to a path)
- [Export-ELOFile](#) (Export ELO data to ZIP or file path)
- [Export-ELOKeywordList](#) (Export keywording lists to a path)
- [Export-ELOMailMessage](#) (Exports an ELO email message to an EML file)
- [Export-ELONative](#) (Exports ELO documents using the startExportExt function)
- [Export-ELOObject](#) (Export an object to an XML file)
- [Export-ELOReportCSV](#) (Export report data to a CSV file)
- [Export-ELOSearchResult](#) (Export a search result to a CSV file)
- [Export-ELOWorkflow](#) (Export workflow template/active/completed instance)
- [Export-ELOXpoClasses](#) ()
- [Export-ToExcel](#) (Exports a datatable to Microsoft excel format)
- [Format-CSV](#) (Formats input data into CSV format (using Reflection and object members))
- [Format-ELOACL](#) (Formats an ELO acl)
- [Format-ELOUserName](#) (Formats an ELO acl)

- [Forward-ELOWorkflow](#) (Forwards a workflow instance)
- [Get-Barcodes](#) (Reads the barcodes of PDF or TIF document.)
- [Get-DBIndexes](#) (Gets the database index of the currently selected database)
- [Get-DBSQLBufferInfo](#) (Gets DB sql buffer info)
- [Get-DBTables](#) (Gets the database tables)
- [Get-ELOColor](#) (Gets a color list from the repository)
- [Get-ELOConnectionList](#) (Get ELO connection list)
- [Get-ELOConnectionProfile](#) (Gets the connection profile list)
- [Get-ELODateRange](#) (Gets ELO date range)
- [Get-ELODBObjectTable](#) (Gets the data table by carrying out the SQL query)
- [Get-ELODocMask](#) (Gets ELO doc mask)
- [Get-ELODocumentPath](#) (Resets an AccessManager database to its initial configuration)
- [Get-ELODocVersion](#) (Gets the document versions of an ELO object)
- [Get-ELODynamicKeywords](#) (Gets ELO dynamic keywords)
- [Get-ELOElementCount](#) (Get the number of documents within a folder)
- [Get-ELOEmptyFieldEntries](#) (opens a database connection to an SQL server)
- [Get-ELOExpression](#) (Parses a VisualBasic Like Expression against)
- [Get-ELOExpressionDictionary](#) (Parses a VisualBasic Like Expression against)
- [Get-ELOFulltext](#) (Gets the fulltext of the ELO document)
- [Get-ELOFulltextTimestamp](#) (Gets the timestamp of the ELO fulltext)
- [Get-ELOGroup](#) (Retrieves information about an ELO group)
- [Get-ELOInstallDir](#) ()
- [Get-ELOKeywords](#) (gets entries of a default keyword list, that is stored in the ELO database.)
- [Get-ELOLicense](#) (Gets information about the ELO license)
- [Get-ELOMapKeys](#) (Gets the map keys for an ELO object and its specific domains)
- [Get-ELOObject](#) (Read the ELO object sord)
- [Get-ELOObjectKey](#) (Reads an object key from an ELO sord)
- [Get-ELOOCR](#) (Get ELO OCR cmd)
- [Get-ELOOCRRectangle](#) (Get ELO ocr rectangle.)
- [Get-ELOPackage](#) ()
- [Get-ELOPlugin](#) (Gets the ELO plugin represented by its symbolic name (or all of empty))
- [Get-ELOProfileOptions](#) (Gets the ELO profile options)
- [Get-ELORepositoryName](#) ()
- [Get-ELOService](#) ()
- [Get-ELOStageName](#) (Gets the stage name of the current ELO repository)
- [Get-ELOSubstitutes](#) (Gets ELO substitutes)
- [Get-ELOTimestamp](#) ()
- [Get-ELOUser](#) (Gets an ELO user object)
- [Get-ELOWorkflow](#) (Reads an existing workflow/workflows from the repository database)
- [Get-ELOWorkflowNode](#) (Gets an ELO workflow node)
- [Get-ELOWorkflowUsers](#) (Sets the ELO workflow node)
- [Get-HTMLDataSet](#) (Converts a HTML table into a .NET DataSet)
- [Get-NAVMANDATORIES](#) ()
- [Get-NAVPurchaseInvoiceStatus](#) (Retrieves the invoice status from navision)
- [Get-ServiceUser](#) (Gets the users belonging to windows services)
- [Get-WebPage](#) (Get contents of a web page)
- [Import-ELOConfig](#) (Reads an ELO json file (property/value) into the session memory variable)
- [Import-ELODocMask](#) (Imports a serialized doc mask (XML file format))
- [Import-ELOFile](#) (Import ELO data from ZIP or file path)
- [Import-ELOFromFileSystem](#) (Imports source folders from file system into ELO)
- [Import-ELOKeywordList](#) (Import a keywording list)

- [Import-ELOVersionedFiles](#) (Imports files with a version number from a path)
- [Import-ELOWorkflow](#) (Imports an ELO workflow from a template (import file))
- [Insert-ELODocMaskLine](#) (Inserts a new doc mask line into a mask)
- [Install-ELOPlugin](#) (Installs an ELO plugin)
- [Install-PowerShell](#) (Installs PowerShell 6.0)
- [Install-SQLServer](#) (Installs a SQL server instance)
- [Invoke-ELOIXReload](#) (Invokes the reload action of the IndexServer of the repository)
- [Invoke-NAVTableCheck](#) (Invokes the check of navigation tables)
- [Is-ELOMemberOf](#) (Check the group membership of a user id)
- [Lock-ELouser](#) (Locks an ELO user)
- [Merge-ELOACL](#) (Merges ELO ACL of different objects into the ACL a specific target id)
- [Merge-ELOFolder](#) (Merges one folder into another)
- [Merge-MSI](#) (Merges a CAB file into a MSI file)
- [Move-ELODocuments](#) (Moves the document from one path to another)
- [Move-ELOObject](#) (Moves an ELO object from one parent to another.)
- [New-Comparer](#) ()
- [New-ELOACLItem](#) (Creates a new ACL item)
- [New-RandomPassword](#) (Generates a new random password)
- [Open-ELOConnection](#) (Open connection to ELO IndexServer)
- [Open-ELODBConnection](#) (opens a database connection to an SQL server)
- [Protect-ELOPassword](#) (Protects a password using the encryption specified)
- [Remove-ELOConnectionProfile](#) ()
- [Remove-ELODocMask](#) (Remove ELO doc mask from the elo repository)
- [Remove-ELODocVersion](#) (Removes an ELO doc version)
- [Remove-ELOInstallation](#) ()
- [Remove-ELOObject](#) (Removes/deletes an ELO object)
- [Remove-ELOReference](#) (Deletes an ELO reference)
- [Rename-ELOKeywordList](#) (Renames a ELO keyword list)
- [Reset-ELOWorkflow](#) (Restores the initial state of an ELO workflow)
- [Restore-ELOObject](#) (Restores an ELO object from deletion area)
- [Restore-ELOWorkflow](#) (Restore ELO workflow from finished workflow)
- [Search-ELOObjects](#) (Search ELO objects cmd)
- [Search-ELOTasks](#) (Search ELO objects cmd)
- [Search-ELOWorkflows](#) (Searches ELO workflows)
- [Set-DBIndex](#) (Sets a DB index on a specific table)
- [Set-ELOACL](#) (Sets an ELO ACL for a specific object.)
- [Set-ELOAdminMode](#) (Turns on ELO administration mode.)
- [Set-ELOColor](#) (Sets an ELO color)
- [Set-ELOConnectionProfile](#) (sets the connection data of an ELO connection profile.)
- [Set-ELOCounter](#) (Sets the value of an ELO Counter or increments it)
- [Set-ELODocMask](#) (Sets the parameter of a document mask)
- [Set-ELODocVersion](#) (Modifies properties of an existing document version in ELO)
- [Set-ELOEnableAllCertsCmd](#) ()
- [Set-ELOGroup](#) (Merges one folder into another)
- [Set-ELOKeywordingForSAP](#) (sets the SAP keywording for a single or for multiple entries.)
- [Set-ELOLogBackLogger](#) (Installs an additional logger/appender to the logback configuration)
- [Set-ELOMapDomain](#) (Creates a map domain for ELO)
- [Set-ELOMapKeys](#) (Search ELO map keys)
- [Set-ELOObjectKey](#) (Sets an ELO Object key)
- [Set-ELOProfileOptions](#) (Sets ELO profile options)
- [Set-ELOPropertiesEntry](#) (Sets the property of an properties.xml)

- [Set-ELOService](#) (Sets details of a windows service)
- [Set-ELOUser](#) (Sets the information of an ELO user)
- [Set-ELOWebAppResource](#) (Sets ELO web app resource)
- [Set-ELOWorkflowNode](#) (Sets the ELO workflow node)
- [Shrink-DBTransLog](#) (Shrinks the database transaction log)
- [Sort-ELOACL](#) (Sort ELO ACL)
- [Split-Barcodes](#) (Splits the barcodes of PDF or TIF document.)
- [Split-ELOFolder](#) (Gets the ELO plugin represented by its symbolic name (or all of empty))
- [Start-ELOPlugin](#) (Starts an ELO plugin)
- [Start-ELOService](#) (Starts an ELO (windows service))
- [Start-ELOWorkflow](#) (start a new ELO workflow.)
- [Start-ELOWorkflowAdHoc](#) (Start ELO workflow ad hoc cmd)
- [Stop-ELOPlugin](#) (Stops an ELO plugin.)
- [Stop-ELOService](#) (Stops an ELO (windows service))
- [Terminate-ELOWorkflow](#) (Terminates an ELO workflow using the IX terminateWorkflow function)
- [Test-ELOConnection](#) (Tests if an ELO connection has been opened.)
- [Test-ELOConnectionProfile](#) ()
- [Test-ELODocMask](#) (Test an ELO doc mask for the existence of a certain line by its id/key)
- [Test-ELODocMaskLine](#) (Test an ELO doc mask for the existence of a certain line by its id/key)
- [Test-ELOGroup](#) (Tests if a group is present in ELO)
- [Test-ELOJavaClient](#) (Tests if the JavaClient is installed on the system)
- [Test-ELOKeywordList](#) (Tests if a keywording list is present in the system)
- [Test-ELOObjectPath](#) (Test the ELO path (check if folder is exists / or is empty))
- [Test-ELOStage](#) (Tests if stage name is the same as provided, or if stage is prod/dev)
- [Test-ELOUser](#) (Tests if a user is present in ELO)
- [Test-ELOWorkflow](#) ()
- [Transport-ELOFolder](#) (Transports an ELO folder structure from one repository to another.)
- [Transport-ELOMask](#) (Transports an ELO folder structure from one repository to another.)
- [Transport-ELOObject](#) (Transports an ELO object from one repository to another.)
- [Transport-ELOWorkflow](#) (Transports an ELO workflow from one repository to another.)
- [Undo-ELOWorkflow](#) (Undos/rollbacks a workflow to the node specified.)
- [Uninstall-ELOPlugin](#) (Uninstall an ELO plugin)
- [Unlock-ELOObject](#) (Unlock the ELO object)
- [Unlock-ELOUser](#) (Unlocks an ELO user)
- [Update-ELOHostName](#) (Change ELO host name)

From:

<https://powershell.issp.gmbh/> - **DokuWiki - ISSP PowerShell Module**

Permanent link:

https://powershell.issp.gmbh/doku.php?id=swxps4elo:command_reference

Last update: **2023/11/05 15:05**

